

2010½

Security & Communications Solutions

Inside 7 New Products

Manufactured in the USA • American Product Support

COMMERCIAL



AES-2005S
(Surface Mount)



ELEVATORS



E-1600A
ADA Emergency Phone



AIRPORTS



E-1600A-TP-EWP
Handsfree Emergency
ADA Phone



EDUCATION



K-6000-DVA
Automated Voice Message
Delivery



Connect with Viking



715-386-8861



www.VikingElectronics.com



info@VikingElectronics.com



ProductSupport@VikingElectronics.com



Hudson, WI 54016

FREE

**PRODUCT
SUPPORT**

Available to anyone
who has purchased a
Viking product
tech@vikingelectronics.com
715-386-8666

Prices are suggested trade net: Verify pricing with your distributor.

Advanced Clock Controlled Tone Generator Over Existing Paging System

- **Accurate time base synchronizes periodically with the atomic clock via Internal modem**
- **Automatic daylight savings time and leap year correction**

Viking's model **CTG-2** is an advanced clock controlled tone/message generator designed to provide accurately timed tones and/or messages over your existing paging system. This provides a cost effective way of signaling school period changes, factory shifts, breaks lunch periods or provide messages at specific times for store sales, promotions, closing times, airport loading zones, etc.

- Up to 14 schedules, and up to 1000 events
- Pre-loaded with common school, business and factory alert tones or download with your own messages/tones via the USB port
- Total of 6 minutes of CD quality WAV file record time
- 4 inputs for triggering emergency fire evacuation, severe weather, lock down and all clear alert tones or messages
- USB port for PC programming of timed events, schedules, days etc.
- RS-485 output for communicating time sync info

The **CTG-2** comes with programming software and a USB port to allow PC programming of timed events, schedules, Atomic clock synchronization, wave file download, message volume, day light savings time, leap year, auxiliary relay control, etc.



Beta Units Available 4th Quarter 2010

Model	DOD #	Price
CTG-2	463	\$595.00

Once programmed you can change the **CTG-2's** schedules or turn the unit on or off remotely from any touch tone phone.

Three Emergency Phones Can Share a Single Line

- **Connects 3 Emergency Phones or 2 Phones and a Phone System**



The **LC-3** Line Concentrator allows up to three emergency phones to share a single line. A call initiated by any emergency phone is given the line. If a second emergency phone attempts to make a call while another emergency call is in use, the **LC-3** will provide a busy signal until the line is available. Viking emergency phones can be programmed to redial on busy.

All inbound calls are answered by the **LC-3**. The emergency personnel then dials a touch tone command to connect to one of three phones.

A Fire Floor Phone port is provided as a means for local dedicated telephones to directly connect to any of the three emergency phones.

Model	DOD #	Price
LC-3	223	\$225.00

Proximity Card Reader with Built-in Keypad

The model **PROX-2** is designed to be mounted directly to standard single-gang wall box, and integrates both a **HID** compatible 125KHz proximity card reader and keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (**PIN**).

The proximity card reader and keypad of the **PROX-2** both transmit data in 26-Bit Wiegand format, making it compatible with any of the Wiegand equipped Viking entry controllers. The keypad is based upon cutting-edge, non-mechanical, capacitive technology, which, unlike membrane keypads, includes no moving parts prone to early failure. Advanced keypad enhancements include fully potted circuit board (**EWP**), key's with blue **LED** backlighting, raised key outlines and pip on the 5-key.


Black and off-white covers included, 5-14 volt operation.
Compact size: 4.6" x 3.0" x 0



Model	DOD #	Price
PROX-2	219	\$259.00

New Self-Amplified Paging System

SA-25 Control Unit Drives up to 25 SA-1S Self Amplified Speakers



SA-25 Control Unit

Connect to a paging port or a ringing **FXS**, Centrex, PABX/KSU station port or an **FXO**, unused phone line input (trunk port). **Power supply included.**

The **SA Series** Self-Amplified Paging System interfaces with virtually any telecom or IP phone system. The system can provide background music from an external source and generate loud or night ringing from a ringing analog station or phone system contact closure. The **SA-25** control unit is backwards compatible with the older legacy Valcom and Bogen self-amplified speakers.

Beta Units Available 4th Quarter 2010

Model	Description	DOD #	Price
SA-IR	Infrared Remote	527	TBA
SA-1S	Self-amplified Speaker	525	TBA
SA-25	Control Unit	525	TBA

Interface Your Voice Paging System with Virtually Any Telecom or IP Phone System

The **FXI-1** provides 30V talk battery for interfacing with an **FXO** or unused analog line input/trunk port. With the flip of a switch, the unit can connect to a **FXS** or PABX/Centrex station ring trip port. No power supply is required in this mode. In the event that it must be connected to a "dry" 600 ohm paging port, the built-in voice activation (**VOX**) is in control. This configuration is useful when interfacing with systems that do not provide a paging contact closure.

In all modes the **FXI-1** provides normally open or normally closed relay contacts to activate the central paging amplifier equipment or connect to an external background music source. After paging, the **FXI-1** auto disconnects on **CPC**, busy signal, silence or default disconnect timer (helps prevent accidental paging system lock-up if phone is hung up incorrectly). An electronic night bell over paging feature can be activated from a momentary phone system contact closure (**FXO** and page port mode only).

Power supply included.

Model	DOD #	Price
FXI-1	494	\$100.00





**Three Emergency
Phones Can Share a
Single Line**

Model	DOD #	Price
LC-3	223	\$225.00

**New Self-Amplified
Paging System**

Model	Description	DOD #	Price
SA-IR	Infrared Remote	527	TBA
SA-1S	Self-amplified Speaker	525	TBA
SA-25	Control Unit	525	TBA



**Advanced Clock
Controlled Tone
Generator Over
Existing Paging
System**



Model	DOD #	Price
CTG-2	463	\$595.00

**Interface Your Voice
Paging System with
Virtually Any Telecom or
IP Phone System**

Model	DOD #	Price
FXI-1	494	\$100.00



**Compact Keypad with
Prox Card Reader**

Model	DOD #	Price
PROX-2	219	\$259.00

See what's **NEW**
in 2010½

VIKING Products are in stock
Nationwide at:

- ADI**
800-233-6261 • www.adilink.com
 - Graybar**
800-825-5517 • www.graybar.com
 - Jenne Distributing**
800-422-6191 • www.jenne.com
 - Anixter**
800-323-8167 • www.anixter.com
 - TeleDynamics**
800-847-5629 • www.teledynamics.com
 - Target Distributing**
800-873-5528 • www.targetdist.com
 - Communications Supply**
800-786-9584 • www.gocsc.com
 - Capitol Sales**
800-467-8255 • www.capitolsales.com
 - Hall Telecommunications**
519-822-5420 • www.halltel.com
800-265-2667 (CANADA)
 - Goldcom, Inc.**
800-788-8848 • www.Gold-com.com
 - Windstream Supply**
800-533-3161 (US/CANADA)
www.windstreamsupply.com
 - High Tech Communication**
800-256-3010
www.high-techcomm.com
 - HB Distributors**
800-266-3478
www.HBdistributors.com
 - NTD Distributors**
800-426-1024 • www.ShopNTD.com
- International Sales – Call:**
Viking International
612-331-3823
www.vikingelectronics.com